

=====

Sequence Listing could not be accepted due to errors.

See attached Validation Report.

If you need help call the Patent Electronic Business Center at (866) 217-9197 (toll free).

Reviewer: Anne Corrigan

Timestamp: [year=2010; month=6; day=24; hr=8; min=39; sec=15; ms=929;]

=====

Reviewer Comments:

<210> 149

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of
the putative CodY box in yjcl

<220>

<221> misc_feature

<222> (1)..(15)

<400> 149

attgtagaa aatta

15

Regarding the above <220>-<222> section: what information pertains to locations 1-15? Please indicate it in a <223> line. Same in Sequence 150.

<210> 179

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of the putative CodY box in arca

<<400> 179

atatttttttg aaaaattttt taaaaa

26

Please remove the extra opening bracket "<" in the above <400> numeric identifier: should just show <400>

<210> 216

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> WT

<400> 216

aatgttcaga aaattcatga acatac

26

As an explanation of "<213> Artificial Sequence", the above <223> response needs more information regarding the source of the genetic material.

Application No: 10562601 Version No: 2.0

Input Set:

Output Set:

Started: 2010-06-15 12:34:06.438
 Finished: null
 Elapsed: null
 Total Warnings: 159
 Total Errors: 1
 No. of SeqIDs Defined: 234
 Actual SeqID Count: 179

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (1)
W 213	Artificial or Unknown found in <213> in SEQ ID (2)
W 213	Artificial or Unknown found in <213> in SEQ ID (3)
W 213	Artificial or Unknown found in <213> in SEQ ID (4)
W 213	Artificial or Unknown found in <213> in SEQ ID (5)
W 213	Artificial or Unknown found in <213> in SEQ ID (6)
W 213	Artificial or Unknown found in <213> in SEQ ID (7)
W 213	Artificial or Unknown found in <213> in SEQ ID (8)
W 213	Artificial or Unknown found in <213> in SEQ ID (9)
W 213	Artificial or Unknown found in <213> in SEQ ID (10)
W 213	Artificial or Unknown found in <213> in SEQ ID (11)
W 213	Artificial or Unknown found in <213> in SEQ ID (12)
W 213	Artificial or Unknown found in <213> in SEQ ID (13)
W 213	Artificial or Unknown found in <213> in SEQ ID (14)
W 213	Artificial or Unknown found in <213> in SEQ ID (15)
W 402	Undefined organism found in <213> in SEQ ID (18)
W 213	Artificial or Unknown found in <213> in SEQ ID (24)
W 213	Artificial or Unknown found in <213> in SEQ ID (29)
W 213	Artificial or Unknown found in <213> in SEQ ID (39)
W 213	Artificial or Unknown found in <213> in SEQ ID (40)

Input Set:

Output Set:

Started: 2010-06-15 12:34:06.438
Finished: null
Elapsed: null
Total Warnings: 159
Total Errors: 1
No. of SeqIDs Defined: 234
Actual SeqID Count: 179

Error code	Error Description
W 213	Artificial or Unknown found in <213> in SEQ ID (41) This error has occurred more than 20 times, will not be displayed
E 249	Order Sequence Error <223> -> <210>; Expected Mandatory Tag: <400> in SEQID (179)

SEQUENCE LISTING

<110> Hengst den, Christiaan D.
 Gajic, Olivera
 Kuipers, Oscar P.
 Kok, Jan
 Sikkema, Jan
 Geurts, Johannes M.W.
 Nauta, Arjen

<120> Methods and means for regulating gene expression

<130> P63590US00

<140> 10562601

<141> 2010-06-15

<150> PCT/NL2004/000474

<151> 2004-07-02

<150> EP 03077074.7

<151> 2003-07-02

<160> 234

<170> PatentIn Ver. 3.3

<210> 1

<211> 23

<212> DNA

<213> Artificial Sequence

<220>

<223> CodY target sequence from Lactobacillus

<400> 1

atgttcagaa aattcatgaa cat

23

<210> 2

<211> 19

<212> DNA

<213> Artificial Sequence

<220>

<223> primer sto 14

<400> 2

cttgccatgg aatcacccg

19

<210> 3

<211> 28

<212> DNA

<213> Artificial Sequence

<220>
<223> primer opp1

<400> 3
gctctagaca ctcacttggt ttgcttcc 28

<210> 4
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> primer opp2

<400> 4
aactgcagga aaattcatga acatacc 27

<210> 5
<211> 28
<212> DNA
<213> Artificial Sequence

<220>
<223> primer opp3

<400> 5
aactgcagta aaacaataat aaaagcag 28

<210> 6
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> primer opp4

<400> 6
aactgcagga taataaaatt tggactg 27

<210> 7
<211> 27
<212> DNA
<213> Artificial Sequence

<220>
<223> primer opp14

<400> 7
aactgcagcg taatgttcag aaaattc 27

<210> 8

<211> 38
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer opp15 (a)

 <400> 8
 aactgcagcg taatatttag aaaattcatg aacatacc 38

 <210> 9
 <211> 38
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer opp15 (b)

 <400> 9
 aactgcagcg tactgtgccg aaaattcatg aacatacc 38

 <210> 10
 <211> 27
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer cod280A

 <400> 10
 gggaattcgg attgtctatc tgectcg 27

 <210> 11
 <211> 36
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer cod280B

 <400> 11
 gggggatcca gatctgacca tgattacgcc aagctt 36

 <210> 12
 <211> 60
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> primer HC-5

 <400> 12

ctagaccacc atggggcatc accatcacca tcacgtggct acattacttg aaaaaacacg 60

<210> 13

<211> 37

<212> DNA

<213> Artificial Sequence

<220>

<223> primer HC-6

<400> 13

ctagtctaga ttagaaatta cgtccagcaa gtttattc 37

<210> 14

<211> 15

<212> DNA

<213> Artificial Sequence

<220>

<223> inversely repeated (IR) cis-element

<400> 14

aattttcwga aaatt 15

<210> 15

<211> 8

<212> PRT

<213> Artificial Sequence

<220>

<223> consensus sequence GTP binding motif in CodY homologs

<220>

<221> Variant

<222> (2)..(2)

<223> Gly or Arg

<220>

<221> Variant

<222> (3)..(3)

<223> Met, Gly, Ile, Lys, Gln

<220>

<221> Variant

<222> (4)..(4)

<223> Arg or Gly

<220>

<221> Variant

<222> (5)..(5)

<223> Leu or Thr

<220>

<221> Variant

<222> (7)..(7)
<223> Thr or Ser

<400> 15
Gly Xaa Xaa Xaa Xaa Gly Xaa Thr
1 5

<210> 16
<211> 8
<212> PRT
<213> Escherichia coli

<220>
<221> BINDING
<222> (1)..(8)
<223> /note="Putative GTP binding motif G1"

<400> 16
Leu Gly Gly Gly Thr Gly Thr Gly
1 5

<210> 17
<211> 8
<212> PRT
<213> Bacillus subtilis

<220>
<221> BINDING
<222> (1)..(8)
<223> /note="Putative GTP binding motif G1"

<400> 17
Gly Gly Glu Arg Leu Gly Thr Leu
1 5

<210> 18
<211> 8
<212> PRT
<213> Bacillus halodurans

<220>
<221> BINDING
<222> (1)..(8)
<223> /note="Putative GTP binding motif G1"

<400> 18
Gly Gly Gln Arg Leu Gly Thr Leu
1 5

<210> 19
<211> 8
<212> PRT

<213> Clostridium difficile

<220>

<221> BINDING

<222> (1)..(8)

<223> /note="Putative GTP binding motif G1"

<400> 19

Gly Gly Met Arg Leu Gly Ser Leu

1 5

<210> 20

<211> 8

<212> PRT

<213> Clostridium acetobutylicum

<220>

<221> BINDING

<222> (1)..(8)

<223> /note="Putative GTP binding motif G1"

<400> 20

Asn Arg Glu Arg Leu Gly Thr Leu

1 5

<210> 21

<211> 8

<212> PRT

<213> Streptococcus pneumoniae

<220>

<221> BINDING

<222> (1)..(8)

<223> /note="Putative GTP binding motif G1"

<400> 21

Ser Gly Ile Arg Leu Gly Ser Leu

1 5

<210> 22

<211> 8

<212> PRT

<213> Enterococcus faecalis

<220>

<221> BINDING

<222> (1)..(8)

<223> /note="Putative GTP binding motif G1"

<400> 22

Ala Gly Lys Arg Leu Gly Thr Ile

1 5

<210> 23
<211> 8
<212> PRT
<213> *Lactococcus lactis*

<220>
<221> BINDING
<222> (1)..(8)
<223> /note="Putative GTP binding motif G1"

<400> 23
Ser Gly Met Arg Leu Gly Thr Phe
1 5

<210> 24
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> consensus sequence GTP binding domain in CodY homologs

<220>
<221> Variant
<222> (2)..(2)
<223> Arg, Ala, Lys

<220>
<221> Variant
<222> (3)..(3)
<223> Val, Phe, Ile

<400> 24
Asp Xaa Xaa Gly
1

<210> 25
<211> 4
<212> PRT
<213> *Escherichia coli*

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G3"

<400> 25
Asp Ala Phe Gly
1

<210> 26
<211> 4
<212> PRT
<213> *Bacillus subtilis*

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G3"

<400> 26
Asp Arg Val Gly
1

<210> 27
<211> 4
<212> PRT
<213> Clostridium difficile

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G3"

<400> 27
Asp Arg Ile Gly
1

<210> 28
<211> 4
<212> PRT
<213> Lactococcus lactis

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G3"

<400> 28
Asp Lys Ile Gly
1

<210> 29
<211> 4
<212> PRT
<213> Artificial Sequence

<220>
<223> consensus sequence GTP motif in CodY homologs

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G4"

<220>
<221> VARIANT
<222> (3)..(3)

<223> Gly, Leu, Phe, Asn, Ser, Gln

<400> 29

Asn Lys Xaa Asp

1

<210> 30

<211> 4

<212> PRT

<213> Escherichia coli

<220>

<221> BINDING

<222> (1)..(4)

<223> /note="Putative GTP binding motif G4"

<400> 30

Thr Ser Leu Asp

1

<210> 31

<211> 4

<212> PRT

<213> Bacillus subtilis

<220>

<221> BINDING

<222> (1)..(4)

<223> /note="Putative GTP binding motif G4"

<400> 31

Asn Lys Phe Leu

1

<210> 32

<211> 4

<212> PRT

<213> Bacillus stearothermophilus

<220>

<221> BINDING

<222> (1)..(4)

<223> /note="Putative GTP binding motif G4"

<400> 32

Asp Lys Phe Leu

1

<210> 33

<211> 4

<212> PRT
<213> Clostridium difficile

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G4"

<400> 33
Asn Glu Gly Ile
1

<210> 34
<211> 4
<212> PRT
<213> Clostridium acetobutylicum

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G4"

<400> 34
Ile Leu Asn Asp
1

<210> 35
<211> 4
<212> PRT
<213> Streptococcus pneumoniae

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G4"

<400> 35
Leu Ile Ser Asp
1

<210> 36
<211> 4
<212> PRT
<213> Enterococcus faecalis

<220>
<221> BINDING
<222> (1)..(4)
<223> /note="Putative GTP binding motif G4"

<400> 36
Asn Gln Gln Phe
1

<210> 37
 <211> 4
 <212> PRT
 <213> *Staphylococcus aureus*

 <220>
 <221> BINDING
 <222> (1)..(4)
 <223> /note="Putative GTP binding motif G4"

 <400> 37
 Glu Lys Gly Ile
 1

<210> 38
 <211> 4
 <212> PRT
 <213> *Lactococcus lactis*

 <220>
 <221> BINDING
 <222> (1)..(4)
 <223> /note="Putative GTP binding motif G4"

 <400> 38
 Thr Gly Leu Phe
 1

<210> 39
 <211> 26
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> presence of the putative CodY box in yreE

<400> 39
 taattttctg ataatatagt caattt 26

<210> 40
 <211> 26
 <212> DNA
 <213> Artificial Sequence

<220>
 <223> presence of the putative CodY box in ctrA

<400> 40
 taatttactg acaagtctgt cagtaa 26

<210> 41
 <211> 26

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in yciC

 <400> 41
 taatttactg acaaaattat cagaac 26

 <210> 42
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in optA

 <400> 42
 aaattttctg acaataataa aaattg 26

 <210> 43
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in optS

 <400> 43
 aaattatcag aaaaatacaa caatat 26

 <210> 44
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in optS

 <400> 44
 taattttcag aataatatga aaattc 26

 <210> 45
 <211> 26
 <212> DNA

 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in parA

 <400> 45

taatttactg atagatttgt cagtaa 26

<210> 46

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of the putative CodY box in aroF

<400> 46

taatttactg acagttctgt cagtaa 26

<210> 47

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of the putative CodY box in vacB1

<400> 47

aaatttactg acaaaaaaga taatgg 26

<210> 48

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of the putative CodY box in optA

<400> 48

taattttcag aaaacataac cattat 26

<210> 49

<211> 26

<212> DNA

<213> Artificial Sequence

<220>

<223> presence of the putative CodY box in ypaG

<400> 49

gaattttatg aaaaaaatat taattg 26

<210> 50

<211> 26

<212> DNA

<213> Artificial Sequence

<220>
 <223> presence of the putative CodY box in yiaB

 <400> 50
 gaatttactg acgaatctat cattaa 26

 <210> 51
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in ysdC

 <400> 51
 tcattctctg acaaatctgt cagtaa 26

 <210> 52
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in hemK

 <400> 52
 aaatttactg acaagcttgt tagtat 26

 <210> 53
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in prfC

 <400> 53
 aaatttaatg ataaaacaat tagttt 26

 <210> 54
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in yugB

 <400> 54
 aaagttactg acaaatctgt cagtaa 26

 <210> 55
 <211> 26

<212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in murD

 <400> 55
 ttatttactg acaagtctgt cagtaa 26

 <210> 56
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in ywdG

 <400> 56
 tattttactg acaaaaaaat aagttt 26

 <210> 57
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in parC

 <400> 57
 taatttactg acagctttgt cagtaa 26

 <210> 58
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in pepC

 <400> 58
 aaatttactg acagagctgt cagtaa 26

 <210> 59
 <211> 26
 <212> DNA
 <213> Artificial Sequence

 <220>
 <223> presence of the putative CodY box in mutM

 <400> 59
 aaatttactg acagacttgt tagtaa 26

<210> 60
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> presence of the putative CodY box in rgpAB

<400> 60
aaatttactg acaactttgt cagaag 26

<210> 61
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> presence of the putative CodY box in vacB1

<400> 61
aaaatgtctg ataaaatgat taatac 26

<210> 62
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> presence of the putative CodY box in recN

<400> 62
taatttactg acagaatttt aaattt 26

<210> 63
<211> 26
<212> DNA
<213> Artificial Sequence

<220>
<223> presence of the putative CodY box in llrH

<400> 63
aaaattacta acaaaactgt tagtaa 26

<210> 64
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> motif in L. lactis MG1363 genome

<400> 64
aattttcaga aaatt 15

<210> 65
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> motif in L. lactis MG1363 genome

<400> 65
aattgtcaga aaatt 15

<210> 66
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> motif in L. lactis MG1363 genome

<400> 66
aattttctga taatt 15

<210> 67
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> motif in L. lactis MG1363 genome

<400> 67
aattttcaga taatt 15

<210> 68
<211> 15
<212> DNA
<213> Artificial Sequence

<220>
<223> motif in L. lactis MG1363 genome

<400> 68
atttttcaga aaatt 15

<210> 69
<211> 15
<212> DNA
<213> Artificial Sequence

<220>	
<223> motif in L. lactis MG1363 genome	
<400> 69	
aatttttcgga aaaat	15
<210> 70	
<211> 15	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> motif in L. lactis MG1363 genome	
<400> 70	
aatttttcaga aaata	15
<210> 71	
<211> 15	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> motif in L. lactis MG1363 genome	
<400> 71	
acttttcaga aaatt	15
<210> 72	
<211> 15	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> motif in L. lactis MG1363 genome	
<400> 72	
aatttttctga atatt	15
<210> 73	
<211> 15	
<212> DNA	
<213> Artificial Sequence	
<220>	
<223> motif in L. lactis MG1363 genome	
<400> 73	
attttttcaga aaaat	15
<210> 74	
<211> 15	

<212> DNA

<213> Artificial Sequence

<220>

<223> motif in *L. lactis* MG1363 genome